


HOGE 3-STERGREEP UIT DUROPLAST

K.0183



MATERIAAL EN UITVOERING :

Lichaam met hoge basis uit gepolijst duroplast FS 31.
Bus of draadstift uit verzinkt staal of RVS.




MET BINNENSCHROEFDRAAD (staal)

D	Ø D1	Ø D3	H	T	Ref.
M6	40	14	22	12	K.0183.40.06
M8	50	18	28	14	K.0183.50.08
M10	62	22	35	14	K.0183.62.10



MET BINNENSCHROEFDRAAD (RVS)

D	Ø D1	Ø D3	H	T	Ref.
M6	40	12	22	9	K.0183.40.06.R
M8	50	15	28	13	K.0183.50.08.R
M10	62	18	35	13	K.0183.62.10.R




MET DRAADSTANG (staal)

D	Ø D1	Ø D3	H	L	Ref.
M6	40	14	22	15	K.0183.040.06.15
M8	40	14	22	20	K.0183.040.08.20
M8	50	18	28	20	K.0183.050.08.20
M10	50	22	28	25	K.0183.050.10.25
M10	62	22	35	25	K.0183.062.10.25

MET DRAADSTANG (RVS)

D	Ø D1	Ø D3	H	L	Ref.
M6	40	12	22	20	K.0183.040.06.20.R
M8	40	12	22	20	K.0183.040.08.20.R
M8	50	15	28	20	K.0183.050.08.20.R
M10	50	15	28	30	K.0183.050.10.30.R
M10	62	18	35	30	K.0183.062.10.30.R



HOGE 3-STERGREEP UIT THERMOPLAST




K.1083

MATERIAAL EN UITVOERING :

Lichaam uit zwarte versterkte thermoplast.

Vorm K = met getapte bus uit messing

Vorm L = met draadstang uit verzinkt staal.


MET BINNENSCHROEFDRAAD

D	Ø D1	Ø D3	Ø D6	H	H1	H2	T	T1	Ref.
M6	45	16	11	21	18	10	9	1	K.1083.045.06
M8	65	22	15,5	28	23,5	11,5	11	1,5	K.1083.065.08
M10	65	22	15,5	28	23,5	11,5	11	1,5	K.1083.065.10
M10	85	30	21	37	30,5	16	14	2	K.1083.085.10
M12	85	30	21	37	30,5	16	19	2	K.1083.085.12
M12	105	35	25	46	37,5	19	17	2	K.1083.105.12
M14	105	35	25	46	37,5	19	19	2	K.1083.105.14

MET DRAADSTANG


D	Ø D1	Ø D2	Ø D3	D6	H	H1	H2	L	T1	Ref.
M8	85	18	30	21	37	30,5	16	20 / 30	2	K.1083.085.08...
M10	85	18	30	21	37	30,5	16	20 / 30	2	K.1083.085.10...
M12	85	18	30	21	37	30,5	16	20 / 40	2	K.1083.085.12...
M12	105	20	35	25	46	37,5	19	30 / 40	2	K.1083.105.12...

BESTELVOORBEELD :- met draadstang :

Ref. K.1083.085.08, L = 20 = Ref. K.1083.085.08.20

Ref. K.1083.105.12, L = 50 = Ref. K.1083.105.12.50

HOGE 3-STERGREEP UIT THERMOPLAST



K.1020


MATERIAAL EN UITVOERING :

Lichaam met hoge basis uit versterkte antraciet thermoplast RAL 7021.

Deksel uit antraciet thermoplast RAL 7021.

Getapte bus of draadstang uit staal, blauw gechromateerd.



MET BINNENSCHROEFDRAAD

D	Ø D1	Ø D2	H	H1	T	Ref.
M8	80	29,2	53,5	31	17	K.1020.08
M10	80	29,2	53,5	31	17	K.1020.10
M12	80	29,2	53,5	31	17	K.1020.12

MET DRAADSTANG

D	Ø D1	Ø D2	H	H1	L	Ref.
M8	80	29,2	53,5	31	15 / 20 / 30 / 40 / 50	K.1020.08...
M10	80	29,2	53,5	31	15 / 20 / 30 / 40 / 50	K.1020.10...
M12	80	29,2	53,5	31	15 / 20 / 30 / 40 / 50	K.1020.12...

BESTELVOORBEELD : – met draadstang :

Ref. K.0120.08, L = 15 = **Ref. K.1020.08.15**

Ref. K.1020.12, L = 50 = **Ref. K.1020.12.50**