



WRIJVINGSLAT

Art. 2961.71



2961.71.



Werkstoff:

Bronze mit Festschmierstoff, wartungsarm.

Ausführung:

Gleitflächen geschliffen.



Gleitrichtung
Festschmierstoff-Einsätze
(Ausschnitt)

2961.71.

Bestell-Nr.	b	s	305	605	1005
2961.71.020.004.	20	4	●		
030.004.	30	4	●		
025.005.	25	5	●		
040.005.	40	5	●	●	
030.006.	30	6	●	●	
040.006.	40	6	●	●	
030.008.	30	8	●	●	
040.008.	40	8	●	●	●
030.010.	30	10	●	●	●
035.010.	35	10	●	●	●
040.010.	40	10	●	●	●
050.010.	50	10	●	●	●
080.010.	80	10	●	●	●
030.012.	30	12	●	●	●
040.012.	40	12		●	●
050.012.	50	12		●	●
060.012.	60	12		●	●
080.012.	80	12		●	●
040.016.	40	16		●	●
060.016.	60	16		●	●
080.016.	80	16		●	●
100.016.	100	16		●	●
050.020.	50	20		●	●
080.020.	80	20		●	●
100.020.	100	20		●	●
125.020.	125	20		●	●
080.025.	80	25		●	●
100.025.	100	25		●	●
125.025.	125	25		●	●
160.025.	160	25		●	●



Bestell-Beispiel:

Flachleiste = 2961.71.
 b = 50 mm = 050.
 s = 10 mm = 010.
 l = 605 mm = 0605
 Bestell-Nummer = 2961.71.050.010.0605

WRIJVINGSLAT

Art. 2961.73

2961.73.



Werkstoff:

Bronze mit Festschmierstoff, wartungsarm.

Ausführung:

Gleitflächen geschliffen.



Gleitrichtung
Festschmierstoff-Einsätze
(Ausschnitt)

2961.73.


Bestell-Nr.	b	s	305	605
2961.73.025.005.0305	25	5	●	
030.006.0305	30	6	●	
040.008.0605	40	8		●
035.010.0605	35	10		●
050.010.0605	50	10		●
040.012.0605	40	12		●
080.012.0605	80	12		●
060.016.0605	60	16		●
080.020.0605	80	20		●
100.020.0605	100	20		●

Bestell-Beispiel:


Flachleiste = 2961.73.
 b = 50 mm = 050.
 s = 10 mm = 010.
 l = 605 mm = 0605
 Bestell-Nummer = 2961.73.050.010.0605

WRIJVINGSLAT

Art. 2961.76



2961.76.



Werkstoff:

Bronze mit Festschmierstoff, wartungsarm.

Ausführung:

Gleitflächen geschliffen.



Gleitrichtung
Festschmierstoff-Einsätze
(Ausschnitt)

2961.76.

Bestell-Nr.	b	s	a
2961.76.025.005.050	25	6	50
071			71
090			90
2961.76.025.006.050	25	6	50
063			63
080			80
100			100
125			125
2961.76.040.005.050	40	5	50
071			71
090			90
2961.76.040.006.080	40	6	80
100			100
125			125
160			160
200			200
2961.76.063.006.080	63	6	80
100			100
125			125
160			160
2961.76.063.008.125	63	8	125
160			160
200			200
250			250
315			315

Bestell-Beispiel:

Flachleiste = 2961.76.

b = 25 mm = 025.

s = 6 mm = 006.



a = 50 mm = 050

Bestell-Nr. = 2961.76.025.006.050

WRIJVINGSLAT

Art. 2961.77

2961.77.



Werkstoff:

Bronze mit Festschmierstoff, wartungsarm.

Ausführung:

Gleitflächen geschliffen.



Gleitrichtung
Festschmierstoff-Einsätze
(Ausschnitt)

2961.77.

Bestell-Nr.	b	s	l
2961.77.025.006.500	25	6	500
040.006.500	40	6	500
063.008.500	63	8	500
080.010.500	80	10	500

Bestell-Beispiel:

Flachleiste = 2961.77.
 b = 25 mm = 025.
 s = 6 mm = 006.
 l = 500 mm = 500
 Bestell-Nr. = 2961.77.025.006.500